



SILVERFISH TREATMENT

CLIENT PREPARATION GUIDELINE



How To Prepare For Your Silverfish Treatment

CHECKLIST

- All items in the upper and lower kitchen and bathroom cupboards and all drawers must be removed and empty.
- Clear all items off the kitchen and bathroom counters, top of stove, and top of refrigerator.
- The kitchen and bathroom must be thoroughly cleaned to eliminate any food sources that the silverfish could be feeding on.
- Ensure that you pull out the fridge and stove to clean the sides of the appliances as well as the space behind.
- Walls must be cleaned to remove grease from cooking.
- Remove all shelf paper from the interior of your cupboards and cabinets.
- All food items must be stored in pest proof containers, bags or in the refrigerator. Pest proof containers can be easily found at your local dollar store or grocery store.
- Some common items that are frequently forgotten during proper food storage:
 - Boxes of pasta that do not have a plastic liner, such as macaroni and cheese
 - Fresh fruit left on kitchen counters
 - Potatoes or onions left in kitchen cupboards
 - Open bags of chips
 - Open boxes of cookies
 - Open boxes of cereal
 - Bulk foods
 - Bags of pet food
 - Clean the outside of your cooking oil bottles – oil residue on the outside of a bottle can be a food source
- Kitchen and bathroom garbage and organics must be thrown out daily.



Greater Vancouver Pest Control

- Pet food must be contained while we are remediating a silverfish infestation.
 - Open pet food provides a perfect source of food for a silverfish, it must be contained or it could prolong the amount of time it takes to fully eliminate a silverfish infestation
- Baseboards throughout the entire home must be clear. Please move all furniture 12 inches away from walls to allow access by our technicians. This includes the interior of all closets throughout the home.
- Every day: Vacuum all floors including; carpets, wood, tile, focus should be directed to the edges, cracks and crevices.

After Your Treatment

Live silverfish may be visible for 2-3 weeks after the treatment. Affected bugs may be seen wandering in unusual places, this is a sign that the treatment is working. Remember that silverfish may not leave their harborages for a number of days after treatment, However, all silverfish will die within 1-2 days after exposing themselves to the pesticides that have been applied. The products applied will only be effective if the following steps are taken after your home is serviced:

- DO NOT use other pesticides (powders or sprays) or cleaning products near areas that have been sprayed, as these products will reduce or eliminate the effectiveness of the treatment.
- The pesticides will remain active for up to 3 months if left undisturbed, but is easily removed with kitchen or bathroom cleaner when required.
- You may return all items back to their original positions within your kitchen after the treatment is completed. Please keep in mind that should you continue to find silverfish; we encourage our clients to unpack slowly as an additional treatment may be required and preparation may need to be re completed prior to a follow up service.
- For long term control of silverfish, the reduction of temperature and humidity within your home will aid in the success of our treatment.



Greater Vancouver Pest Control

What You Can Expect From Your Treatment

Your technician will use a variety of methods to control the pest depending on each unique situation. Residual and non-residual pesticides will be applied and will be used in a manner that is most effective to take full control of the pest situation specific to your home. All treatments will be completed using an IPM (integrated pest management) approach with your health and safety in mind.

Safety

It is necessary for you and your pets to leave your home during the treatment and to remain out of the home for a minimum of 6 hours post treatment being completed. Your pest control technician will supply you with a confirmed re-entry time before you leave.

Aquariums must be covered with a wet towel and have their filters turned off.

Anyone who has allergies, asthma, is pregnant, children under the age of 2 or anyone with respiratory problems should consult their family doctor should they have concerns regarding this re-entry time.

Upon re-entry, open the windows for 20 minutes to properly ventilate the treated rooms.

Pesticides that may be used during your treatment: Dragnet FT – PCP 24175, 110 ULV – PCP 15330.

In an emergency, contact poison control at 604.682.5050 or 1.800.567.8911

Additional Questions

Should you have any additional questions we recommend consulting our website for further information www.vancouverpestcontrol.com, by contacting our office at 604.374.6525 or info@vancouverpestcontrol.com

If you are a tenant in a building managed by a property manager who has scheduled this service for you, please direct your questions to your property management company.